



Product Name: Grout Magic  
Revision Date: 6/11/2020

## SAFETY DATA SHEET

<b>SECTION 1</b>	<b>MATERIAL AND MANUFACTURER IDENTIFICATION</b>
------------------	---

### PRODUCT

*Product Identifier: Grout Magic*  
*Intended Product Use: Tile and Grout Cleaner*  
*Manufacturer Identification Code: 6100, 6100C*

### MANUFACTURER

Chemical Technologies International Inc.  
P.O. Box 968  
Rancho Cordova, CA 95741 USA  
Phone: (916) 638-1315 Fax: (916) 638-0712  
24 hours Emergency Assistance Calls (USA): CHEMTREC (800) 424-9300  
*Please reference name and manufacturers identification number*

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS) Acute toxicity - Oral Category 4 Serious eye damage/eye irritation Category 1 Label elements Oxidizing solids Category 3

<b>SECTION 2</b>	<b>HAZARD(S) IDENTIFICATION</b>
------------------	---------------------------------

### GHS CLASSIFICATION

**Acute Toxicity, Oral (Category 4)**  
**Skin Corrosion/Skin Irritation (Category 1C)**  
**Acute Toxicity, Inhalation (Category 5)**  
**Oxidizing solids Category 3**  
**Serious eye damage/eye irritation Category 1**

**Routes of Exposure:** Eye contact, skin contact, inhalation, and ingestion.

**Inhalation:** Unlikely to occur when used as directed. Excessive exposure may cause irritation of the respiratory tract

**Eye Contact:** May cause severe irritation with possible permanent eye damage.

**Skin Contact:** Repeated, prolonged exposure may cause skin irritation, drying, chapping.

**Ingestion:** Very small quantity is unlikely to cause injury. Larger quantity may cause injury; if swallowed can cause Gastrointestinal irritation; including but limited to nausea, vomiting and diarrhea.


**Carcinogenic Potential:** Not established

**Acute Effects:** This product is considered to be a potential irritant. This product should not be used for any other purpose than the intended use in section 1.

**Chronic Effects:** Not established



**Product Name:** Grout Magic



Health hazard	2
Flammability hazard	0
Reactivity hazard	0
Other hazard Oxidizer	

Signal word: **WARNING**

Hazard statement(s):  
**H303: May be harmful if swallowed;**  
**H314: Causes severe skin burns and eye damage;**  
**H335: Maybe harmful if inhaled.**  
**H272: May intensify fire; oxidiser.**  
**H318: Causes serious eye damage.**

<b>SECTION 3</b>	<b>COMPOSITION/INFORMATION ON INGREDIENTS</b>
------------------	---

COMPONENT	CAS #	CONCENTRATIONS	FUNCTION
1. Sodium Tripolyphosphate	7758-29-4	40-60%	Builder
2. Disodium Trioxosilicate	6834-92-0	30-50%	Builder
3. EDTA Sodium Salt	13235-36-4	5-20%	Sequester
4. Surfactant Blend	not established	10-40%	Detergency
5. D-Limonene	5989-27-5	1-10%	Solvent
6. Glycol Ether EB	111-76-2	1-10%	Solvent
7. Sodium Percarbonate	15630-89-4	10-30%	Oxidize

This SDS contains confidential and propriety information of CTI and is protected by copyright, trade secret and other State and Federal laws. Its receipt or possession does not convey any rights to reproduce its contents, or to manufacture, use or anything it may describe. Reproduction, disclosure, or use without specific written authorization of CTI is strictly forbidden.

<b>SECTION 4</b>	<b>FIRST-AID MEASURES</b>
------------------	---------------------------

**Inhalation:** Remove from further exposure to fresh air. If respiratory irritation, dizziness, or nausea occurs seek immediate medical attention.

**Eye Contact:** Flush eyes with a directed stream of water for 15 minutes, forcibly holding eyelids apart to ensure complete irrigation of all eye and lid tissue. Washing eyes immediately after exposure is essential to achieve maximum effectiveness and minimize potential irritation. If irritation persists, seek immediate medical attention.

**Skin Contact:** Wash contact areas with soap and water. Launder exposed clothing before reuse.

**Ingestion:** If swallowed, do not induce vomiting. Seek immediate medical attention.



**Product Name:** Grout Magic

## SECTION 5 FIRE-FIGHTING MEASURES

### FLAMMABILITY PROPERTIES

*Flashpoint:* Non-flammable nor combustible

*Flammable Limits:* Not available.

*Auto ignition Temperature:* Not available.

### FIREFIGHTING PROCEDURES

*General Hazard:* Smoke may contain original material, in addition to toxic and/or irritating compounds. Avoid heat or open flames

*Firefighting Instructions:* Evacuate all unnecessary personnel. Use dry chemical, CO<sub>2</sub>, water, foam or appropriate extinguishing media for fires where water is not appropriate. No special firefighting instructions.

*Firefighting Equipment:* Firefighters should wear NIOSH/MSHA approved self-contained, positive pressure breathing apparatus and full protective clothing.

*Hazardous Combustion Products:* Combustion may release oxides of carbon and sulfur.

*Unusual Fire and Explosion Hazards:* This material will not burn until the water has evaporated.

Residue can burn. Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

### PERSONAL PRECAUTIONS

Persons performing the cleanup should wear personal protective equipment sufficient to keep material away from skin. Avoid direct contact with material. See section 4 for First-Aid Advice. See section 5 for Firefighting Advice.

### PROTECTIVE MEASURES

To minimize exposure to all chemicals, including this product, use good industrial hygiene and common sense. Use only in well ventilated area. If necessary, use exhaust ventilation to insure adequate ventilation. Insure that water is readily available and that you are prepared to properly wash out your eyes should the need arise. (See section 4 for more advice). Wear NIOSH/MSHA approved organic respirator when ventilation is not adequate or when the sufficiency of ventilation to maintain concentrations below exposure limits is in question. Wear chemical safety goggles to protect against splashes or contact with eyes. See OSHA 29 CFR 1910.33

### CLEAN-UP PROCEDURES

*Small Spills:* Sweep up to dispose of spill in DOT approved waste container.

*Large Spills:* Sweep up or Scoop up and dispose into DOT approved waste container. If possible complete clean up on a dry basis. Comply with all applicable governmental regulations on spill reporting, handling and disposal of waste. Contain all spills or leaks to prevent discharge into the environment. Responsibility of all spills or releases reported to the appropriate local, state and federal agencies falls upon the user.

## SECTION 7 HANDLING AND STORAGE

### HANDLING

This product is professional strength product to be used by professionals only. Avoid breathing vapors/mist of this product. Always keep container tightly closed and properly labels. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Impervious boots/shoes covering should be used if material is anticipated to contact feet. As with all chemicals, practice good industrial hygiene when handling this product. In other words, always work in a well-ventilated area and avoid inhalation of product dust do not ingest or have contact with your eyes or skin.



**Product Name:** Grout Magic

The manufacturer and seller warrant that this product conforms to its standard specifications when used according to directions. As the conditions of method of its use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for use of this product. Information contained herein is believed to be true but all statements and suggestions are made without any warranty, expressed or implied, regarding accuracy of the information. The hazards connected with the use of this material and the results to be obtained from the use thereof.

#### STORAGE

Avoid excessive heat. Avoid storage with oxidizing or reducing agents and acids. Employees should be trained to handle this product safely. Store the product in a cool dry area away from ignition sources. Loosen closures cautiously

<b>SECTION 8</b>	<b>EXPOSURE / PERSONAL PROTECTION</b>
------------------	---------------------------------------

#### EXPOSURE LIMITS

Exposure limits have not been established for this mixture. Avoid, as far as reasonably practicable, inhalation of vapor, mists or fumes generated. However, limits for components listed below:

<b>COMPONENT #</b>	<b>OSHA PEL TWA STEL</b>	<b>ACGIH TLV TWA STEL</b>	<b>NIOSH TWA STEL</b>
1. Sodium Tripolyphosphate	This product does not have hazardous materials with occupational exposure levels		
2. Disodium Trioxosilicate	This product does not have hazardous materials with occupational exposure levels		
3. EDTA Sodium Salt	This product does not have hazardous materials with occupational exposure levels		
4. Surfactant Blend	Not Established	Not Established	Not Established
5. D-Limonene	Not Established	165.5 (mg/m <sup>3</sup> )	Not Established
6. Glycol Ether EB	25ppm	25ppm	50 ppm
7. Sodium Percarbonate	Not established ACGIH TLV - 10 mg/m <sup>3</sup> 8 hr TWA for particulates not otherwise classified - OSHA PEL- 15 mg/m <sup>3</sup> 8 hr TWA for nuisance particulates		

#### ENGINEERING CONTROLS

The level of protection and types of control will vary depending upon potential exposure conditions. If user operations generate dust, fume or mist, use adequate ventilation to keep exposure below exposure limit.

#### PERSONAL PROTECTION

*Ventilation and engineering controls:* Use only in well ventilated area. If necessary, use exhaust ventilation to insure adequate ventilation. Insure that water is readily available and that you are prepared to properly wash out your eyes should the need arise. (Refer to section 4).

*Respiratory:* Wear NIOSH/MSHA approved respirator when ventilation is not adequate. A NIOSH /MSHA –approved air purifying respirator with an organic vapor cartridge or canister may be advisable under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure, air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstances where air-purifying respirators may not provide adequate protection.

*Eye Protection:* Wear safety goggles to protect against eye contact. See OSHA 29 CFR 1910.33

*Skin:* Wear chemical impervious gloves. Wear protective clothing to minimize skin contact. Wash skin after use. Wash contaminated clothing and dry before reuse.

*Other:* One should always use chemicals with an awareness of the potential hazard of the effect on the human system. To minimize employee exposure to all chemicals, including this product, use good industrial hygiene practices.



**Product Name:** Grout Magic

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

*Physical State and Appearance:* Powder

*Odor:* light detergent scent

*Boiling point:* Not Available

*Melting point:* Not Available

*Density:* Not Available

*Viscosity:* Not Available

*Relative density:* Not Available

*Decomposition temperature:* Not Available

*Color:* Yellow

*pH:* 13.0

*Freezing point:* Not Available

*Solubility in water:* soluble

*Flammability:* Not Flammable

*Flash point:* Non-flammable/combustible

*Flammability (solid, gas):* Not available

*Vapor pressure:* Not Available

## SECTION 10 STABILITY AND REACTIVITY

*Chemical Stability:* Stable under ambient temperature and atmospheric pressure. Stable under recommended storage and handling conditions.

*Conditions to avoid:* Keep away from heat or excessive pressure. Active ingredient decomposes at elevated temperatures.

*Incompatibility with other materials:* Although the mixture has no known incompatibilities, some **components** of this mixture are not compatible with acids, metals, oxidizing or reducing materials.

*Hazardous decomposition products:* Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Sulfur oxides and Carbon oxides.

*Hazardous polymerization:* Major components of this mixture show no hazardous polymerization.

*Conditions to Avoid:* Strong Acids, Lead, Tin/Tin Oxides, Zinc and Aluminum.

## SECTION 11 TOXICOLOGICAL INFORMATION

Toxicological information has not been established on this mixture. Toxicological information on components within this mixture is given by:

COMPONENT #	TOXICITY
1. Sodium Tripolyphosphate	LD50/LC50: CAS# 7758-29-4: Draize test, rabbit, skin: 500 mg/24H Moderate; Oral, mouse: LD50 = 3100 mg/kg; Oral, rat: LD50 = 3120 mg/kg; Skin, rabbit: LD50 = >4640 mg/kg;
2. Disodium Trioxosilicate	LD <sub>50</sub> Oral - rat - 3100 mg/kg LD <sub>50</sub> Dermal - rabbit - 4640 mg/kg
3. EDTA Sodium Salt	LD <sub>50</sub> Oral - rat – 1,260 mg/kg
4. Surfactant Blend	Not Established
5. D-Limonene	LD <sub>50</sub> Oral - rat - 4400 mg/kg LD <sub>50</sub> Dermal - rat - >5000 mg/kg
6. Glycol Ether EB	LD <sub>50</sub> Oral - rat - 470 mg/kg LC <sub>50</sub> Inhalation - rat - 4 h - 450 ppm LD <sub>50</sub> Dermal - rabbit - 220 mg/kg
7. Sodium Percarbonate	LD50 Rabbit dermal > 2000 mg/kg LD50 Rabbit injection 1034 mg/kg Eyes - Rabbit - Moderate eye irritation - 24 h



**Product Name:** Grout Magic

7. Sodium Percarbonate      Eye Effects: Skin Effects: Inhalation Effects: Sensitization: Ingestion Effects: Additional Toxicological Information: Rabbit: irritant Rabbit: slight irritant (Skin) No data available No information found LD50 1,034 mg/kg No information found Rabbit, slight irritant (Skin) LD50 Dermal - Rabbin > 2,000 mg/kg D

<b>SECTION 12</b>	<b>ECOLOGICAL INFORMATION</b>
-------------------	-------------------------------

Ecological information has not been established for this product. Ecological information on components within this mixture is given by:

<b>COMPONENT #</b>	<b>TOXICITY</b>
1. Sodium Tripolyphosphate	Not Established
1. Disodium Trioxosilicate	Toxicity to fish LC <sub>50</sub> – freshwater fish - 1650 mg/l - 48 h
2. EDTA Sodium Salt	Not Established
3. Surfactant Blend	Not Established
4. D-Limonene	Not Established
5. Glycol Ether EB	Toxicity to fish LC <sub>50</sub> - other fish - 220 mg/l - 96 h Toxicity to daphnia and other aquatic invertebrates EC <sub>50</sub> - Daphnia magna (Water flea) - 1,815 mg/l - 24 h
6. Sodium Percarbonate	Freshwater Fish Species Data: 70.7 mg/L LC <sub>50</sub> Pimephales promelas 96 h static 1 Water Flea Data: 4.9 mg/L EC <sub>50</sub> Daphnia pulex 48 h

<b>SECTION 13</b>	<b>DISPOSAL CONSIDERATIONS</b>
-------------------	--------------------------------

Dispose of all waste, empty bottles and contaminated equipment in accordance with all applicable federal, state and local health and environmental regulations.

Do not dump into storm drains, sanitary sewers or any body of water. All disposal methods must be in compliance with all federal, State/ Provincial and local laws and regulations. Regulations may vary in different locations.

Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. The vendor has no control over the management practices or the processes by which the party who handles or uses this material. The information presented here pertains only to the product as shipped in its intended condition and recommended usage.

<b>SECTION 14</b>	<b>TRANSPORT INFORMATION</b>
-------------------	------------------------------

**DOT (US)**

These shipments are ORM-D and exempt from Bill of Lading requirements when sent via ground under 1 Liter when packaged for retail sale per 49 CFR 173.154. If product exceeds 1 Liter then will comply with the following:

UN Number: 1759  
Proper Shipping Name: Corrosive Solid N.O.S. (Contains Disodium Trioxosilicate)  
Hazard Class: 8  
Labels: Corrosive Liquid  
Packaging Group: III

**IMDG**

Basic Description: Firestorm Small- UN 1759, Corrosive Solid N.O.S. (Contains Disodium Trioxosilicate), 8, III, LTD QTY



**Product Name:** Grout Magic

Firestorm Medium - UN 1759, Corrosive Solid N.O.S. (Contains Disodium Trioxosilicate), 8, III

Firestorm Large - UN 1759, Corrosive Solid N.O.S. (Contains Disodium Trioxosilicate), 8, III

Marine Pollutant: All sizes – No

\*Shipping Instructions as shipped are: ORMD/LTD QTY Exemptions Used 173.154 LTD QTY & ORM-D

Consult 49 CFR to assure compliance with all applicable federal, state/provincial and local laws and regulations that may apply to you.

\*\*\*\*\*  
 Proper Shipping Name: Sodium Carbonate Peroxyhydrate D. O. T. Hazard Class: 5.1 UN #: 3378 Label Requirement: Oxidizer  
 RQ: 100 lbs. Placard: Oxidizer CAS: Packing Group: III Mixture Hazardous Waste Code: RCRA Hazardous waste D001 if  
 discarded. US DOT, IATA, IMO, ADR: Environment Hazards: Yes Special Precautions: No US Federal - OSHA Status: ERG  
 Book Information: 140 Marine Pollutant: IATA: U.S. SARA Reporting Requirements: SARA Title III Hazard Classes Section 302  
 - EXTREMELY HAZARDOUS SUBSTANCES: This product does NOT contain ingredients listed in Appendix A and B as  
 Extremely Hazardous substances. This product contains the following toxic chemical subject to the reporting requirements of  
 Section 313 of the Emergency Planning and Community Right to Know Act: Immediate (acute) health hazard Reactive Hazard No  
 Yes  
 \*\*\*\*\*

<b>SECTION 15</b>	<b>REGULATORY INFORMATION</b>
-------------------	-------------------------------

US Federal Regulations:

OSHA standards require that information be provided to employees regarding the hazards of chemicals by means of a hazard communication program including labeling, safety data sheet (SDS) sheets, training and access to written records. We request that you, as per your legal duty to, make all information in this SDS available to your employees and those who handle or consume the product to aid our customers in complying with regulatory requirements regulatory information for components of this product are indicated below

This mixture has no established regulatory information all regulatory information given is based on individual Components of the mixture by component number

<b>COMPONENT</b>	<b>REGULATION</b>
1. Sodium Tripolyphosphate	Not established
1. Disodium Trioxosilicate	Not established
2. EDTA Sodium Salt	<b>OSHA Hazards:</b> Harmful by Ingestion; Irritant <b>SARA 311/312 Hazards:</b> Acute Health Hazard <b>MA, PA, and NJ Right to Know:</b> Ethylene diaminetetraacetic acid tetra sodium salt hydrate CAS-No. 194491-31-1
3. Surfactant Blend	Not Established
4. D-Limonene	Not Established
5. Glycol Ether EB	<b>OSHA Hazards:</b> Combustible Liquid, Target Organ Effect, Harmful by ingestion. Harmful by skin absorption. Irritant, Carcinogen <b>SARA 313 Components:</b> 2-Butoxyethanol CAS-No.111-76-2 <b>SARA 311/312 Hazards:</b> Fire Hazard, Acute Health Hazard, And Chronic Health Hazard <b>MA, PA, and NJ Right to Know:</b> 2-Butoxyethanol CAS-No.111-76-2
6. Sodium Percarbonate	This product does not contain a chemical requiring a warning under California Prop. 65.



**Product Name:** Grout Magic

<b>SECTION 16</b>	<b>OTHER INFORMATION</b>
-------------------	--------------------------

While the information is believed to be accurate, CTI makes no representations as to its accuracy or sufficiency. This SDS summarizes to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources of each individual component. Since CTI cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material. User assumes all risks incident to the use of this (these) product(s). Users are responsible to verify this data under their own operating conditions to determine whether this product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance on information contained herein. This information relates only to the product-designated herein, and does not relate to its use in combination with any other material or in any other process.